


- OPTIONS:
1. 12", 8", OR 6" LENGTHS (12" SHOWN)
 2. STANDARD COLORS ARE RED, GREEN, AND BLUE (AS SHOWN), OR AMBER, WHITE SK, AND WHITE SK. ANY THREE CUSTOM COLOR COMBINATIONS ARE AVAILABLE
 3. CONFORMAL COATING FOR WATER RESISTANCE
 4. POLYCARBONATE TUBING CUT TO LENGTH TO HOUSE PRODUCT.
 5. 120DEG LEDS ALSO AVAILABLE

INPUT VOLTAGE = 24VDC
 INPUT CURRENT = 200mA/ft (max.)
 TWO MOUNTING HOLES AT 0.156" DIAMETER
 10 PIECES MAXIMUM PER HOME RUN CABLE

ACCESSORIES:
 MALE TO FEMALE CABLES (BF-CABL2-MFXX) TO JUMPER BETWEEN STRIP.
 FEMALE TO FEMALE CABLES (BF-CABL2-FFXX) TO CONNECT BETWEEN POWER RUN OF STRIP AND DISTRIBUTION SYSTEM.


	DRAWN BY: LAURA GLASER COLOR CHANGING STRIP BF-CCS100
	552 N.W. 77TH ST BOCA RATON, FL 33487 (561) 989-5338



- OPTIONS:
1. 12", 8", OR 6" LENGTHS (8" SHOWN)
 2. STANDARD COLORS ARE RED, GREEN, AND BLUE (AS SHOWN), OR AMBER, WHITE SK, AND WHITE SK. ANY THREE CUSTOM COLOR COMBINATIONS ARE AVAILABLE
 3. CONFORMAL COATING FOR WATER RESISTANCE
 4. POLYCARBONATE TUBING CUT TO LENGTH TO HOUSE PRODUCT.
 5. 120DEG LEDS ALSO AVAILABLE

INPUT VOLTAGE = 24VDC
 INPUT CURRENT = 150mA/piece (max.)
 13 PIECES MAXIMUM PER HOME RUN CABLE

ACCESSORIES:
 MALE TO FEMALE CABLES (BF-CABL2-MFXX) TO JUMPER BETWEEN STRIP.
 FEMALE TO FEMALE CABLES (BF-CABL2-FFXX) TO CONNECT BETWEEN POWER RUN OF STRIP AND DISTRIBUTION SYSTEM.



552 N.W. 77TH ST
 BOCA RATON, FL 33487

(561) 989-5338

DRAWN BY: LAURA GLASER

8" COLOR CHANGING STRIP


BF-CCS108

SCALE 2:1

1/10/05

SHEET 1 OF 1

REV D




ACCESSORIES:
 MALE TO FEMALE CABLES (BF-CABL2-MFXX) TO JUMPER BETWEEN STRIP.
 FEMALE TO FEMALE CABLES (BF-CABL2-FFXX) TO CONNECT BETWEEN POWER RUN OF STRIP AND DISTRIBUTION SYSTEM.


- OPTIONS:
1. 12", 8", OR 6" LENGTHS (6" SHOWN)
 2. STANDARD COLORS ARE RED, GREEN, AND BLUE (AS SHOWN), OR AMBER, WHITE 5K, AND WHITE 5K. ANY THREE CUSTOM COLOR COMBINATIONS ARE AVAILABLE
 3. CONFORMAL COATING FOR WATER RESISTANCE
 4. POLYCARBONATE TUBING CUT TO LENGTH TO HOUSE PRODUCT
 5. 120DEG LEDS ALSO AVAILABLE

INPUT VOLTAGE = 24VDC
 INPUT CURRENT = 100mA/piece (max.)
 20 PIECES MAXIMUM PER HOME RUN CABLE

NOTE: THIS DOCUMENT IS PROTECTED BY COPYRIGHTS OF BOCA FLASHER INC.

 552 N.W. 77TH ST BOCA RATON, FL 33433 (561) 989-5338	DRAWN BY: LAURA GLASER	
	6" COLOR CHANGING STRIP BF-CCS106	

SCALE	1:2	1/10/05	SHEET 1 OF 1	REV D
-------	-----	---------	--------------	-------



OPTIONS:


1. 12", 8", OR 6" LENGTHS (12" SHOWN)
2. STANDARD COLORS ARE RED, GREEN, AND BLUE (AS SHOWN), OR AMBER, WHITE 5K, AND WHITE 5K. ANY THREE CUSTOM COLOR COMBINATIONS ARE AVAILABLE
3. CONFORMAL COATING FOR WATER RESISTANCE
4. POLYCARBONATE TUBING CUT TO LENGTH TO HOUSE PRODUCT.
5. 120DEG OR 30DEG (120DEG SHOWN)

ACCESSORIES:

- MALE TO FEMALE CABLES (BF-CABL2-MFXX) TO JUMPER BETWEEN STRIP.
- FEMALE TO FEMALE CABLES (BF-CABL2-FFXX) TO CONNECT BETWEEN POWER RUN OF STRIP AND DISTRIBUTION SYSTEM.

INPUT VOLTAGE = 24VDC
 INPUT CURRENT = 200mA/ft (max.)
 TWO MOUNTING HOLES AT 0.156" DIAMETER
 10 PIECES MAXIMUM PER HOME RUN CABLE

NOTE: THIS DOCUMENT IS PROTECTED BY
 COPYRIGHTS OF BOCA FLASHER INC.

 <p>552 N.W. 77TH ST BOCA RATON, FL 33487</p> <p>(561) 989-5338</p>	DRAWN BY: LAURA GLASER	
	COLOR CHANGING STRIP 120DEG BF-CCS100S	