


- OPTIONS:
1. 5 PIN XLR DMX IN AND DMX OUT. (3 PIN UPON REQUEST)
 2. CLEAR OR SAND-BLASTED LEDS.
 3. CLEAR OR SAND-BLASTED LENS
 4. STANDARD FINISH IS BLACK, (CUSTOM COLORS UPON REQUEST)
 5. COLOR-CHANGING OR MONOCHROMATIC LED PRODUCT
 6. WET LOCATION OR DAMP LOCATION FIXTURES

- FEATURES:
- 288 HIGH INTENSITY LEDS
 - 3 MOUNTING HOLES ON YOKE
 - 270 DEG ROTATION
 - UL RATING DAMP LOCATION OR WET LOCATION (PENDING)

INPUT VOLTAGE: 120-240VAC
 INPUT CURRENT: 550mA AT 115VAC
 CONTROL: DMX512 OR STAND-ALONE

ACCESSORIES:
 DMX CABLE (BF-DMX)

 552 N.W. 77TH ST BOCA RATON, FL 33487 (561) 989-5338	DRAWN BY: LAURA GLASER	
	BRICK LIGHT BF-BL	



OPTIONS:


1. 5 PIN XLR DMX IN AND DMX OUT. (3 PIN UPON REQUEST)
2. CLEAR OR SANDBLASTED LEDS.
3. CLEAR OR SANDBLASTED LENS
4. STANDARD FINISH IS BLACK, (CUSTOM COLORS UPON REQUEST)
5. COLOR-CHANGING OR MONOCHROMATIC LED PRODUCT
6. WET LOCATION OR DAMP LOCATION FIXTURES


FEATURES:

- 576 HIGH INTENSITY LEDS
- 3 MOUNTING HOLES ON YOKE
- 360 DEG ROTATION
- 6 CHANNELS OF DMX CONTROL
- INDEPENDENT ADDRESSABLE CONTROL EVERY 1FT
- UL RATING DAMP LOCATION OR WET LOCATION (PENDING)

INPUT VOLTAGE: 120VAC
 INPUT CURRENT: 1100mA
 CONTROL: DMX512 OR STAND-ALONE

ACCESSORIES:
 DMX CABLE (BF-DMX)

 <p>552 N.W. 77TH ST BOCA RATON, FL 33487</p> <p>(561) 989-5338</p>	DRAWN BY: LAURA GLASER		SCALE	1:8	4/27/05	SHEET 1	DF 1	REV B
	2FT ELONGATED BRICK LIGHT BF-EBL16							



OPTIONS:


1. 5 PIN XLR DMX IN AND DMX OUT. (3 PIN UPON REQUEST)
2. CLEAR OR SANDBLASTED LEDS.
3. CLEAR OR SANDBLASTED LENS
4. STANDARD FINISH IS BLACK, (CUSTOM COLORS UPON REQUEST)
5. COLOR-CHANGING OR MONOCHROMATIC LED PRODUCT
6. WET LOCATION OR DAMP LOCATION FIXTURES

FEATURES:

- 1152 HIGH INTENSITY LEDS
- 3 MOUNTING HOLES ON YOKE
- 360 DEG ROTATION
- 12 CHANNELS OF DMX CONTROL
- INDEPENDENT ADDRESSABLE CONTROL EVERY 1FT
- UL RATING DAMP LOCATION OR WET LOCATION (PENDING)

INPUT VOLTAGE: 120VAC
 INPUT CURRENT: 2200mA
 CONTROL: DMX512 OR STAND-ALONE

ACCESSORIES:
 DMX CABLE (BF-DMX)



552 N.W. 77TH ST
 BOCA RATON, FL 33487

(561) 989-5338


DRAWN BY: LAURA GLASER

4FT ELONGATED
 BRICK LIGHT
 BF-E BL32

SCALE 1:8 4/27/05 SHEET 1 OF 1


REV B

REVISIONS		DATE	APPROVED
ZONE	REV		
DESCRIPTION			



NOTE: THIS PRODUCT IS CAPABLE OF UTILIZING UP TO 12 CHANNELS OF DMX CONTROL. ONE CONTROL ZONE PER LINEAR FOOT. ASSOCIATED CONTROLLERS (ALSO KNOWN AS DMX INTERFACES) ARE LOCATED UNDER THE ASSOCIATED FOOT PIECE IT CONTROLS. TO CHANGE SETTINGS ON THE INDIVIDUAL INTERFACES PLEASE SEE INSTRUCTIONS FOR THE SLMCTL

NOTE: THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHTS OF BOCA FLASHER. BOCA FLASHER DOES NOT TAKE ANY RESPONSIBILITY FOR DAMAGE INCURRED IF MODIFICATIONS ARE MADE TO THE DESIGN WITHOUT THE DESIGNER'S WRITTEN CONSENT.

		EBL32 HOOK UP SCHEMATIC	
		FILE NAME	BL
DRAWN BY		LAURA GLASER	
DESIGN BY		LAURA GLASER	
APPROVED BY		STEVE MCKINNEY	
SCALE		NTS	SHEET 1 OF 1
552 N.W. 77TH ST BOCA RATON, FL 33487		REV B	
(561) 989-5338		REV B	